

Supermarket Range 2025 Collection



ORDER HOTLINE

1300 551 630

**SUPERMARKET
CATALOGUE**



www.arp.com.au

Index


Upright Plug-in Display Fridges / Freezers	3 - 6
Island Displays	7
Grab and Go Units	8 - 11
Plug-in Supermarket Multideck Units	12 - 19
Remote Open Multideck Units	20 - 23
Remote Glass Door Multideck Units	24 - 27
Walk-in Cold Rooms	28
Remote Semi Multideck Units	29 - 30
Island Freezers / Fridges	31 - 37
Delicatessen Displays	38 - 59

Glass Door Supermarket Fridges

PRODUCT FEATURES

-  Forced air circulation
-  Adjustable shelves
-  Interior LED lights
-  Powder-coated interior
-  Universal wheels
-  Double-glazed tempered glass
-  Self-closing door
-  Door locks

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Doors	GEMS Star Rating	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
LG-600GBM	1	8	614	750x740x2039	130	+2 to +8	38/65	240	460/10
LG-1000GBM	2	8	1081	1253x740x2039	179	+2 to +8	38/65	240	460/10
LG-1500GBM	3	6	1664	880x740x2039	207.5	+2 to +8	38/65	240	700/10
LG-2200GBM	4	TBA	2248	2508x740x2039	360	+2 to +8	38/65	240	920/10




Glass Door Supermarket Freezers

PRODUCT FEATURES

-  Forced air circulation
-  Adjustable shelves
-  Interior LED lights
-  Powder-coated interior
-  Universal wheels
-  Triple glazing tempered glass
-  Self-evaporating drip tray
-  Aluminium door frame & handle

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Doors	GEMS Star Rating	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
LG-1000GBMF	2	2	1006	1253x760x2039	240	-18 to -22	25/60	240	1205/10
LG-1500GBMF	3	2	1563	1880x760x2039	305	-18 to -22	25/60	240	1580/15
Lower Energy Consumption Range									
LG-600GBMF/E	1	TBA	580	750x740x2039	150	-18 to -22	25/60	240	TBA
LG-1000GBMF/E	2	TBA	1006	1253x760x2039	240	-18 to -22	25/60	240	TBA
LG-1500GBMF/E	3	TBA	1563	1880x760x2039	305	-18 to -22	25/60	240	TBA




Glass Door Supermarket Fridges

PRODUCT FEATURES

-  Forced air circulation
-  Adjustable shelves
-  Interior LED lights
-  Powder-coated interior
-  Universal wheels
-  Triple glazing tempered glass
-  Self-evaporating drip tray
-  Aluminium door frame & handle

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Doors	GEMS Star Rating	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
LG-600BGBM	1	8	614	750x740x2039	130	+2 to +8	38/65	240	460/10
LG-1000BGBM	2	8	1081	1253x740x2039	179	+2 to +8	38/65	240	460/10
LG-1500BGBM	3	6	1664	1880x740x2039	207.5	+2 to +8	38/65	240	700/10
LG-2200BGBM	4	TBA	2248	2508x740x2039	360	+2 to +8	38/65	240	920/10




Glass Door Supermarket Freezers

PRODUCT FEATURES

-  Forced air circulation
-  Adjustable shelves
-  Interior LED lights
-  Powder-coated interior
-  Universal wheels
-  Triple glazing tempered glass
-  Self-evaporating drip tray
-  Aluminium door frame & handle

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Doors	GEMS Star Rating	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
LG-1000BGBMF	2	2	1006	1253x760x2039	240	-18 to -22	25/60	240	1205/10
LG-1500BGBMF	3	2	1563	1880x760x2039	305	-18 to -22	25/60	240	1580/15
Lower Energy Consumption Range									
LG-600BGBMF/E	1	TBA	580	750x740x2039	150	-18 to -22	25/60	240	TBA
LG-1000BGBMF/E	2	TBA	1006	1253x760x2039	240	-18 to -22	25/60	240	TBA
LG-1500BGBMF/E	3	TBA	1563	1880x760x2039	304	-18 to -22	25/60	240	TBA




Island Display Promotional Cabinet

PRODUCT FEATURES

-  Famous brand compressor
-  Stainless steel shelves
-  Intelligent temperature controller
-  Auto defrosting
-  Energy saving and high efficiency
-  Copper tube evaporator with aluminium fins
-  Transparent windows on all sides
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
PDC-1290	190	1290x1128x975	100	0 to +5	25/60	240	460/10
PDC-1290D	190	1290x1128x975	100	0 to +5	25/60	240	460/10
PDA-1290	400	1290x1128x1380	120	+1 to +10	25/60	240	460/10




Grab and Go Promotional Cabinet

PRODUCT FEATURES

-  Famous brand compressor
-  Surround-air-cooling to maintain temperature
-  Intelligent temperature controller
-  Rich accessories
-  Energy saving and high efficiency
-  Copper tube evaporator with aluminium fins
-  Multiple forms of shelves
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
DSS-670C	110	670x700x1460	91	+3 to +8	25/60	240	1327/10
DSS-945C	170	945x700x1460	135	+3 to +8	25/60	240	1135/10
DSS-945H	170	945x700x1460	135	+60 to +70	25/60	240	1092/10
DSS-705N	–	705x368x1405	45	–	–	–	–




Grab and Go Hot or Cold Cabinet

PRODUCT FEATURES


-  Famous brand compressor
-  Surrounding air-cooling to maintain temperature
-  Intelligent temperature controller
-  Auto defrosting
-  Energy saving and high efficiency
-  Copper tube evaporator with aluminium fins
-  Optimised height and display design
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
DC-900C	150	900x600x1520	131	+3 to +8	25/60	240	1070/10
DC-900H	150	900x600x1520	103	+50 to +60	25/60	240	1000/10
DC-900CH	150	900x600x1520	141	+3 to +8 / +50 to +60	25/60	240	1550/10




Evo Self-Serve Display

PRODUCT FEATURES

-  Ideal for placement in narrow spaces
-  Efficient and reliable refrigeration system
-  Low energy consumption and low environmental impact
-  Tempered double glazing side glass & air deflector glass
-  Perforated back & interior ceiling for improved circulation
-  Removable lower display shelves
-  Three stainless steel adjustable shelves
-  Four LED lights (ceiling top + 3 shelves)

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Display area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range °C	Ambient/ RH%	Voltage	Power (kW/A)
TDEVO-090S	1.41	905x800x1520	165	+3 to +5	30/55	240	1.266/10
TDEVO-120S	1.94	1205x800x1520	195	+3 to +5	30/55	240	1.15/10
TDEVO-150S	2.43	1505x800x1520	239	+3 to +5	30/55	240	1.496/10



Evo Self-Serve Display

PRODUCT FEATURES



Innovative refrigeration system with air curtain



Elegant design suitable for any concept



1.75 m² display surface



Top, side, & rear external tempered double-glazed glass



Three adjustable tempered glass shelves (350mm depth)



High-density CFC-free polyurethane insulation




Two vertical LED lights on both sides



Easily accessible condensing unit & compressor at bottom

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
TDEVO-120V	1224x754x1389	195	+3 to +5	30/55	240	880/10



Supermarket Panorama Chiller with Swing Door

PRODUCT FEATURES

-  Energy saving design
-  Low-E glass
-  LED lighting on each shelf
-  Fan force cooling
-  Adjustable shelf angle: 0° / 7° / 14°
-  Digital temperature display
-  Self-closing doors
-  R290 natural refrigerant

PRODUCT SPECIFICATIONS

Code	Capacity (L)	GEMS Star Rating	Display area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
DC-125B	1292	8	3.14	1310x740x2010	260	-1 to +5	25/60	240	550/10
DC-187B	1939	8	4.05	1935x740x2010	370	-1 to +5	25/60	240	980/10
DC-250B	2585	8	5	2560x740x2010	440	-1 to +5	25/60	240	1060/10




Supermarket Open Beverage Display

PRODUCT FEATURES

-  Smaller base design to reduce floor footprint
-  Double layer night blinds for less energy consumption
-  Fan force cooling with air curtain
-  Illuminated top canopy for advertising
-  Adjustable shelf angle: 0° / 7° / 14°
-  Temperature Class: M2 ideal for most refrigerated drinks
-  LED lighting on top and every shelf
-  R290A natural refrigerant

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Night Blinds	Display area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
OC-915B	405	2	1.92	915x740x2000	216	-1 to +7	25/60	240	910/10
OC-1220B	540	2	2.32	1220x740x2000	275	-1 to +7	25/60	240	1390/15
OC-1830B	810	2	3.11	1830x740x2000	330	-1 to +7	25/60	240	1800/15




Supermarket Open Beverage Display

PRODUCT FEATURES

-  Smaller base design to reduce floor footprint
-  Streamlined operation
-  Fan force cooling
-  Adjustable glass shelf
-  Illuminated top canopy for advertising
-  Shelf angle: 0° / 7° / 14°
-  Double layer night blinds for less energy consumption
-  LED lighting on top and every shelf

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Night Blinds	Display area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
OC-915	405	2	1.92	915x740x2000	216	-1 to +7	25/60	240	910/10
OC-1220	540	2	2.32	1220x740x2000	275	-1 to +7	25/60	240	1390/15
OC-1830	810	2	3.11	1830x740x2000	330	-1 to +7	25/60	240	1800/15




Plug-In Display Fridge

PRODUCT FEATURES

-  Double air curtain design
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Multiple forms of shelves
-  Famous brand compressor
-  Adjustable shelves with LED light
-  Surrounding air-cooling to maintain temperature
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
OM-0980	400	980x760x2000	185	+3 to +8	25/60	240	1860
OM-1285	530	1285x760x2000	240	+3 to +8	25/60	240	1900
OM-1895	800	1895x760x2000	356	+3 to +8	25/60	240	2800
OM-2500	1060	2500x760x2000	474	+3 to +8	25/60	240	2880




Evo Self-Serve Display

PRODUCT FEATURES

- Easy to install and lower maintenance cost
- Ventilated cooling system
- Built-in condensing unit
- Automatic water evaporation system
- Climate Class 4 (ambient 30°C with 60% RH)
- Castors for mobility
- Tempered double-glazed glass
- Adjustable tempered glass shelves

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
602mm Deep						
TDVC60-CA-100	1080x602x2080	140	0 to +2	30/60	240	2275/10
TDVC60-CA-150	1580x602x2080	225	0 to +2	30/60	240	2721/15
TDVC60-CA-187	1955x602x2080	225	0 to +2	30/60	240	4070/15+10
764mm Deep						
TDVC80-CA-100	1080x764x2135	180	0 to +2	30/60	240	2275/10
TDVC80-CA-150	1580x764x2135	240	0 to +2	30/60	240	2721/15
TDVC80-CA-187	1955x764x2135	280	0 to +2	30/60	240	4070/15+10




Vulcano Supermarket Display

PRODUCT FEATURES

-  Easy to install and lower maintenance cost
-  Automatic water evaporation system
-  Ventilated cooling system
-  Climate Class 4 (ambient 30°C with 55% RH)
-  Castors for mobility
-  Stainless steel serpentine (CG)
-  Built-in condensing unit
-  Two plugs with separate circuit for tropical tundish

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
TDVB80-CA-125	1330x765x2130	210	0 to +4	30/55	240	1830W + 1000W (2 x 10Amp)
TDVB80-CA-187	1955x765x2130	280	0 to +4	30/55	240	3100W + 1000W (1 x 15Amp + 1 x 10Amp)
TDVB80-CA-250	2580x765x2130	400	0 to +4	30/55	240	4330W + 1000W (1 x 20Amp + 1 x 10Amp)




Stromboli Supermarket Display With Door

PRODUCT FEATURES

-  Hinged door
-  Fan forced cooling
-  Compact with large display area
-  Tempered double glazing glass (30 mm thickness)
-  Easy installation
-  LED lights at ceiling top and each shelf
-  Low energy consumption and low environmental impact
-  Electronic control panel

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Net Volume (m3)	Door	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range (°C)	Ambient/ RH%	Voltage	Power (kW/A)
TDST90-CA-125BD	2.387	2	2.92	1350x765x2130	200	0 to +2	30/55	240	0.75/10
TDST90-CA-187BD	3.58	3	4.34	1975x765x2130	300	0 to +2	30/55	240	1.12/10
TDST90-CA-250BD	4.774	4	5.84	2600x765x2130	400	0 to +2	30/55	240	1.5/10
TDST90-CA-375BD	7.161	6	8.68	3850x765x2130	600	0 to +2	30/55	240	2.25/10




Stromboli Supermarket Display with Night Blinds

PRODUCT FEATURES

-  Night blinds
-  Fan forced cooling
-  Compact with large display area
-  Tempered double glazing glass (30 mm thickness)
-  Easy installation
-  LED lights at ceiling top and each shelf
-  Low energy consumption and low environmental impact
-  Electronic control panel

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Net Volume (m3)	Display Area (m²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
TDST90-CA-125B	2.387	2.92	1314x900x2115	200	0 to +2	30/55	240	0.75/10
TDST90-CA-187B	3.58	4.34	1939x900x2115	300	0 to +2	30/55	240	1.12/10
TDST90-CA-250B	4.774	5.84	2564x900x2115	400	0 to +2	30/55	240	1.5/10
TDST90-CA-375B	7.161	8.68	3814x900x2115	600	0 to +2	30/55	240	2.25/10



Remote Double Air Curtain Multideck Upright Fridge

PRODUCT FEATURES



Copper tube evaporator



Plastic/stainless steel bumper (optional)



Double air-curtain design



Intelligent temperature controller



Energy saving and high efficiency



Also available in 2200mm heights




Adjustable shelves with LED light



RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
OM95-1875R	640	4.38	1875x950x2060	248	0 to +8	25/60	240	300/10
OM95-2500R	890	4.60	2500x950x2060	370	0 to +8	25/60	240	450/10
OM95-3125R	1080	5.60	3125x950x2060	500	0 to +8	25/60	240	518/10
OM95-3750R	1300	6.80	3750x950x2060	580	0 to +8	25/60	240	670/10



Remote Double Air Curtain Display Fridge (PLUS)

PRODUCT FEATURES



Copper tube evaporator



Energy saving and high efficiency



Also available in 955mm width



Also available in 2200mm heights



Double air-curtain design



Adjustable shelves with LED light




Intelligent temperature controller




RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
OM108-1875R	850	5.0	1875x1080x2060	335	0 to +8	25/60	240	360/10
OM108-2500R	1170	6.6	2500x1080x2060	535	0 to +8	25/60	240	427/10
OM108-3125R	1444	8.3	3125x1080x2060	610	0 to +8	25/60	240	518/10
OM108-3750R	1700	10.0	3750x1080x2060	724	0 to +8	25/60	240	668/10



Remote Double Air Curtain Display Fridge

PRODUCT FEATURES



Double air-curtain design



Energy saving and high efficiency



Intelligent temperature controller



The lower opening edge
in front



Multiple forms of shelves



Adjustable shelves with LED light




Surrounding air-cooling to maintain temperature



RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
OM91-1875R	640	4.38	1875x910x2060	248	0 to +8	25/60	240	300/10
OM91-2500R	890	4.60	2500x910x2060	370	0 to +8	25/60	240	450/10
OM91-3125R	1080	5.60	3125x910x2060	500	0 to +8	25/60	240	518/10
OM91-3750R	1300	6.80	3750x910x2060	580	0 to +8	25/60	240	670/10




Remote Multideck Upright Fridge

PRODUCT FEATURES

-  Double air-curtain design
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  The lower opening edge in front
-  Multiple forms of shelves
-  Adjustable shelves with LED light
-  Surrounding air-cooling to maintain temperature
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
OM-0915R	460	2.04	915x760x1920	160	+2 to +8	25/60	240	126/10
OM-1220R	610	2.65	1220x760x1920	180	+2 to +8	25/60	240	194/10
OM-1830R	960	3.50	1830x760x1920	255	+2 to +8	25/60	240	252/10
OM-2440R	1220	4.35	2440x760x1920	320	+2 to +8	25/60	240	338/10
OM-2745R	1410	4.77	2745x760x1920	350	+2 to +8	25/60	240	378/10



Remote Glass-Door Upright Fridge

PRODUCT FEATURES



Thickened foam



Energy saving and high efficiency



Intelligent temperature controller



Plastic/stainless steel bumper (optional)



Auto defrosting



Rich accessories




Tempered and Low-E coated glass



RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DCE-1875R	1290	4.51	1875x950x2060	248	0 to +8	25/60	240	340/10
DCE-2500R	1710	6.02	2500x950x2060	330	0 to +8	25/60	240	460/10
DCE-3750R	2570	9.03	3750x950x2060	450	0 to +8	25/60	240	620/10



Remote Glass-Door Multideck Display Fridge

PRODUCT FEATURES



Thickened foam



Energy saving and high efficiency



Intelligent temperature controller



Multiple forms of shelves



Auto defrosting



Rich accessories




Tempered and Low-E coated glass



RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DC-1875R	1290	4.51	1875x905x2060	248	+3 to +8	25/60	240	340/10
DC-2500R	1710	6.02	2500x905x2060	330	+3 to +8	25/60	240	460/10
DC-3750R	2570	9.03	3750x905x2060	450	+3 to +8	25/60	240	745/10




Remote Glass-Door Upright Freezer

PRODUCT FEATURES

-  Thickened foam
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Plastic/stainless steel bumper (optional)
-  Multiple forms of shelves
-  Rich accessories
-  Three layered glass doors with heater
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
DF-1562R	1000	4.20	1562x955x2060/2150	502	-18	25/60	240	850/10
DF-2225R	1200	5.20	2225x988x2060/2150	549	-18	25/60	240	1530/10
DF-2343R	1400	6.20	2343x955x2060/2150	604	-18	25/60	240	1175/10
DF-3124R	1900	8.30	3124x955x2060/2150	801	-18	25/60	240	1535/10
DF-3900R	2400	10.40	3900x955x2060/2150	905	-18	25/60	240	1905/10




Remote Glass-Door Multideck Fridge/Freezer

PRODUCT FEATURES

-  Thickened foam
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Larger display space
-  Multiple forms of shelves
-  Rich accessories
-  Tempered and Low-E coated glass
-  Auto defrosting

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DCF-1508R	1130	2.11	1508x780x2000	160	0 to +8	25/60	240	320/10
DCF-2212R	1700	3.17	2212x780x2000	280	0 to +8	25/60	240	480/10
DCF-2880R	2260	4.23	2880x780x2000	390	0 to +8	25/60	240	750/10
DCF-1530R	1030	2.11	1530x780x2000	160	-18	25/60	240	308/10
DCF-2232R	1540	3.17	2232x780x2000	280	-18	25/60	240	462/10



Walk-in Cold Room

PRODUCT FEATURES

-  Automatic replenishment rails
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Auto defrosting
-  Thickened foam
-  Front display
-  Optimised warehouse space layout
-  RAL colour choices

PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
CR-3G	9600	4.47	2280x2250x2300	+2 to +8	25/60	240	2500
CR-4G	12800	5.60	2990x2250x2300	+2 to +8	25/60	240	3200
CR-5G	16000	7.46	3700x2250x2300	+2 to +8	25/60	240	4500




Remote Semi Verticle Multideck Island Fridge

PRODUCT FEATURES

-  Optimised height and display design
-  Surrounding air-cooling to maintain temperature
-  Plastic/stainless steel bumper (optional)
-  Auto defrosting
-  Vertical evaporator
-  Energy saving and high efficiency
-  Also available in 1320mm and 1720mm heights
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
VI-W2120R	440	1.74	2120x1060x1520	260	+2 to +8	25/60	240	146/10
VI-1250R	380	1.70	1250x915x1520	180	+2 to +8	25/60	240	138/10
VI-1875R	570	1.74	1875x915x1520	220	+2 to +8	25/60	240	188/10
VI-2500R	750	2.33	2500x915x1520	280	+2 to +8	25/60	240	285/10
VI-3750R	1130	3.49	3750x915x1520	350	+2 to +8	25/60	240	429/10




Remote Semi Verticle Multideck Fridge

PRODUCT FEATURES

-  Optimised height and display design
-  Surrounding air-cooling to maintain temperature
-  Plastic/stainless steel bumper (optional)
-  Auto defrosting
-  Vertical evaporator
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
VIS-W2090R	980	2.40	2090x1218x1555	255	+2 to +10	25/60	240	135/10
VIS-1875R	710	4.24	1875x915x1555	263	+2 to +10	25/60	240	210/10
VIS-2500R	940	5.66	2500x915x1555	280	+2 to +10	25/60	240	340/10
VIS-3750R	1420	8.75	2090x915x1555	350	+2 to +10	25/60	240	550/10




Supermarket Island Freezer/chiller

PRODUCT FEATURES

-  Temp. control with display
-  LED Lighting
-  Danfoss compressor
-  Static cooling system
-  Digital thermostat
-  Auto defrost with no build up of ice
-  Freezer temperature range: -22 to -18°C
-  Chiller temperature range: -1 to +4°C

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
ZCD-E185S (End case)	630	1850x850x855	130	-1 to +4 / -22 to -18	32/60	240	630/10
ZCD-L210S (Side case)	850	2100x850x930	145	-1 to +4 / -22 to -18	32/60	240	850/10
ZCD-L250S (Side case)	1040	2500x850x930	165	-1 to +4 / -22 to -18	32/60	240	1040/10

Merchant Shelf - can fit in the middle of the chest freezer

ZCD-L210S-SVP	Side ventilation panel	790x160mm
ZCD-L210S-TVP	Top ventilation panel	2100x190mm
ZCD-L250S-TVP	Top ventilation panel	2500x190mm




Supermarket Island Freezer

PRODUCT FEATURES

-  R290 natural refrigerant
-  70mm thickness insulation
-  Equipped with collision stopper
-  Adjustable feet
-  LED lighting
-  Low-E, tempered glass
-  Storage mesh or full baskets
-  Static cooling system with auto defrost

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Door	Shelves	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range	Ambient/ RH%	Voltage	Power (W/A)
ZCD-E185G (End case)	745	2	3	1850x850x870	129	-22 to -18	25/60	240	460/10
ZCD-L145G (Side case)	575	2	2	1454x850x870	101	-22 to -18	25/60	240	420/10
ZCD-L210G (Side case)	900	2	4	2104x850x870	136	-22 to -18	25/60	240	500/10
ZCD-L250G (Side case)	1105	3	5	2500x850x870	153	-22 to -18	25/60	240	567/10




Asia-Style Transparent Island Freezer

PRODUCT FEATURES

-  Four layers front glass
-  Famous brand compressor
-  User friendly handles
-  Energy saving and high efficiency
-  Vertical evaporator
-  Widened transparent window
-  Larger opening area
-  Auto defrosting

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
IF-E187 (End case)	417	1.23	1870x875x835	141	-18	25/60	240	600/10
IF-L147 (Side case)	349	0.95	1470x875x835	110	-18	25/60	240	560/10
IF-L211 (Side case)	488	1.30	2115x875x835	152	-18	25/60	240	610/10
IF-L250 (Side case)	570	1.64	2502x875x835	178	-18	25/60	240	720/10




Rome-Style Transparent Island Freezer

PRODUCT FEATURES

-  Vertical evaporator
-  Energy saving and high efficiency
-  4 layers front glass
-  Rich accessories
-  Widened transparent window
-  Save space
-  Larger opening area
-  Auto defrosting

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
IFR-E150 (End case)	230	0.98	1500x875x950	140	-18	25/60	240	580/10
IFR-L211 (Side case)	630	2.50	2115x1500x950	300	-18	25/60	240	1600/10
IFR-L250 (Side case)	850	2.80	2502x1500x950	360	-18	25/60	240	1800/10




Freezer Combination

PRODUCT FEATURES

-  Multiple combination choices
-  Energy saving and high efficiency
-  High level compression resistance capacity
-  Auto defrosting
-  Famous brand compressor
-  Copper tube evaporator
-  Optimised height and display design
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
IFC-147	358	0.73	1470x1090x2385	334	-18	25/60	240	850/10
IFC-211	525	0.99	2115x1090x2385	465	-18	25/60	240	1500/10
IFC-250	635	1.20	2502x1090x2385	500	-18	25/60	240	1700/10




Plug-In Island Fridge

PRODUCT FEATURES

-  Famous brand compressor
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Auto defrosting
-  Copper tube evaporator with aluminium fins
-  Surrounding air-cooling to maintain air temperature
-  Optimised height and display design
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
VIS-1400P	350	2.31	1400x1055x1410	290	+5 to +10	25/60	240	243/10



Plug-In / Remote Semi Vertical Multideck Fridge

PRODUCT FEATURES



Plastic/stainless steel bumper (optional)



Energy saving and high efficiency



Intelligent temperature controller



Auto defrosting



Copper tube evaporator with aluminium fins



Surrounding air-cooling to maintain air temperature




Optimised height and display design



RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Display Area (m ²)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
VMC-195	730	1.55	1947x910x1580	290	+3 to +8	25/60	240	1675
VMC-257	980	2.06	2572x910x1580	350	+3 to +8	25/60	240	2050



Refrigerated Deli, Meat & Seafood Display Cases

PRODUCT FEATURES



Double gravity coil for even cooling



Insulated sliding rear doors



Double pane tempered slanted front glass



Extra refrigerated storage



Adjustable shelves



Auto defrost




LED lighting



No plumbing needed

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	GEMS Star Rating	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
AMS-12	768	9	1223x855x1406	151	-1 to +5	30/55	240	415/10
AMS-15	993	8	1523x855x1406	176	-1 to +5	30/55	240	440/10
AMS-18	1218	9	1823x855x1406	201	-1 to +5	30/55	240	450/10
AMS-21	1443	8	2123x855x1406	230	-1 to +5	30/55	240	450/10




Compact Deli Display Cases

570mm Display Depth

PRODUCT FEATURES

-  Modern frameless canopy
-  Robust Embraco compressor
-  Ample rear storage
-  LED lighting
-  Precise temperature control
-  Hassle-free maintenance
-  Consistent air flow
-  Fan forced cooling system

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
ST15LK	490	1580x940x1200	160	0 to +5	25/60	240	430/10
ST20LK	670	1955x940x1200	190	0 to +5	25/60	240	440/10
ST25LK	840	2580x940x1200	250	0 to +5	25/60	240	540/10




Open Multideck Meat & Deli Display Counter

PRODUCT FEATURES

-  Expansive tiered display
-  Energy saving night curtain
-  Customer-friendly open front
-  Enhanced product visibility
-  Sleek design
-  Crystal clear side panels
-  Advanced cooling
-  Auto defrost

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
STB1340	270	1340x1115x1200	199	0 to +5	25/60	240	600/10
STB1955	405	1875x1115x1200	255	0 to +5	25/60	240	800/10
STB2580	540	2500x1115x1200	330	0 to +5	25/60	240	1100/10




Square Deli, Poultry & Meat Display

MR9.5 Series 900mm Depth Storage Surface

PRODUCT FEATURES



- CFC and HCFC free insulation
- Rear sliding door
- Low energy consumption
- LED lighting
- Front opening tempered glass
- SUS304 stainless steel surface
- Flat panoramic tempered top glass
- Automatic defrost and evaporating tray

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Storage Door	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
TDMR-0915B	2	1520x1175x1230	167	0 to +4	30/55	240	1.61/10
TDMR-0920B	2	2000x1175x1230	230	0 to +4	30/55	240	2.19/10
TDMR-0925B	3	2480x1175x1230	250	0 to +4	30/55	240	2.8/15
Corner Unit							
TDMR-I	2	1469x1469x1230	180	0 to +4	25/60	240	1.54/10
TDMR-E	0	1468x1468x1230	180	0 to +4	25/60	240	1.54/10




Square Deli, Poultry & Meat Display

Add On Units 900mm Depth Storage Surface

PRODUCT FEATURES

-  CFC and HCFC free insulation
-  Rear sliding door
-  Low energy consumption
-  LED lighting
-  Front opening tempered glass
-  SUS304 stainless steel surface
-  Flat panoramic tempered top glass
-  Automatic defrost and evaporating tray

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Storage Door	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
Remote Unit with Evaporator Coils, Self Serve Model							
TDMR-0910SELF	1	1039x1175x923	120	+2 to +5	32/55	240	50
Remote Unit with Evaporator Coils, Deli Display							
TDMR-0925SG	3	2480x1175x1200	215	+2 to +5	32/55	240	103
Neutral Unit (set for remote installation), with Hot Bain Marie Setup							
TDMR-0915HB	2	1520x1175x1200	160	65	–	240	4250




Square Deli, Poultry & Meat Display

Add On Units 900mm Depth Storage Surface

PRODUCT FEATURES



-  CFC and HCFC free insulation
-  Rear sliding door
-  Low energy consumption
-  LED lighting
-  Front opening tempered glass
-  SUS304 stainless steel surface
-  Flat panoramic tempered top glass
-  Automatic defrost and evaporating tray

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Storage Door	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
Neutral Unit (set for remote installation), with Dry Hot Plate Setup							
TDMR-0915HP	2	1520x1175x1200	150	+65	–	240	1423
Remote Unit with Evaporator Coils, Corner Display							
TDMR-ISG	2	1469x1175x1200	190	+2 to +5	32/55	240	75
Neutral Unit (set for remote installation), with Light							
TDMR-0915N	2	1520x1175x1200	140	+2 to +5	32/55	240	13 (light only)




Square Deli, Poultry & Meat Display Add On Units

PRODUCT FEATURES



-  CFC and HCFC free insulation
-  Rear sliding door
-  Low energy consumption
-  LED lighting
-  Front opening tempered glass
-  SUS304 stainless steel surface
-  Flat panoramic tempered top glass
-  Automatic defrost and evaporating tray

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Storage Door	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
TDMR-0815B	2	1520x895x1230	155	0 to +4	30/55	240	1.54/10
TDMR-0820B	2	2000x895x1230	195	0 to +4	30/55	240	1.66/10
TDMR-0825B	3	2480x895x1230	220	0 to +4	30/55	240	2.51/15
Corner Unit							
TDMR-08I	2	1188x1188x1230	190	0 to +4	30/55	240	1.54/10
TDMR-08E	0	1188x1188x1230	185	0 to +4	30/55	240	1.54/10




E Series Fresh Food Cabinet

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Famous brand compressor
-  Full glass side panel
-  Stainless steel shelves and back plate
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
EOS1350	267	1350x1170x1000	205	-2 to +5	25/60	240	669/10
EOS1975	371	1975x1170x1000	266	-2 to +5	25/60	240	679/10
EOS2600	534	2600x1170x1000	310	-2 to +5	25/60	240	936/10
EOS3850	742	3850x1170x1000	461	-2 to +5	25/60	240	1332/10




H Series Fresh Food Cabinet (Plus)

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Famous brand compressor
-  Removable glass side panel
-  Stainless steel shelves and back plate
-  Multiple combination choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
HOS2240	235	2240x1150x900	185	-2 to +5	25/60	240	560/10
HOS1410	156	1410x1150x900	100	-2 to +5	25/60	240	640/10
HOS2035	234	2035x1150x900	167	-2 to +5	25/60	240	640/10
HOS2660	312	2660x1150x900	188	-2 to +5	25/60	240	750/10
HOS3910	468	3910x1150x900	297	-2 to +5	25/60	240	1280/10




Classic Fresh Food Cabinet

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Famous brand compressor
-  Auto defrost
-  Stainless steel shelves and back plate
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
AOS1350	156	1350x1150x900	100	-2 to +5	25/60	240	780/10
AOS1975	234	1975x1150x900	167	-2 to +5	25/60	240	780/10
AOS2600	312	2600x1150x900	188	-2 to +5	25/60	240	890/10
AOS3850	468	3850x1150x900	297	-2 to +5	25/60	240	1660/10




Q Series Fresh Food Cabinet

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Famous brand compressor
-  Auto defrost
-  Stainless steel shelves and back plate
-  Multiple combination choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
QOS1875	204	1875x925x910	180	-2 to +5	25/60	240	650/10
QOS2500	273	2500x925x910	245	-2 to +5	25/60	240	680/10
QOS3750	410	3750x925x910	320	-2 to +5	25/60	240	800/10




Plug-In / Remote Flat Service Cabinet

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Famous brand compressor
-  Auto defrost
-  Stainless steel shelves and back plate
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
BOS1955	345	1955x1000x1000	220	-2 to +5	25/60	240	1020/10
BOS2580	460	2580x1000x1000	280	-2 to +5	25/60	240	1750/10
BOS1880W	400	1880x1800x1000	350	-2 to +5	25/60	240	960/10
BOS1875R	345	1875x1000x1000	220	-2 to +5	25/60	240	127/10
BOS2500R	460	2500x1000x1000	280	-2 to +5	25/60	240	150/10
BOS1800RW	400	1800x1800x1000	350	-2 to +5	25/60	240	111/10




Remote Double-Deck Fresh Food Cabinet

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Superior heat insulation
-  Auto defrost
-  Stainless steel shelves and back plate
-  Multiple combination choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
BOSD1875R	485	1875x1080x1082	200	-2 to +5	25/60	240	116/10
BOSD2500R	520	2500x1080x1082	280	-2 to +5	25/60	240	142/10
BOS3750R	780	3750x1080x1082	330	-2 to +5	25/60	240	214/10
BOSD2230RE	156	2230x2230x1082	380	-2 to +5	25/60	240	188/10
BOS2278RI	156	2278x2278x1082	400	-2 to +5	25/60	240	219/10




Plug-In / Remote Flat-Top Service Freezer

PRODUCT FEATURES

-  Open service counter
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Optimised height and display design
-  Famous brand compressor
-  Auto defrost
-  Superior heat insulation
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DOF1875R	495	1875x1095x920	210	-18 to -22	25/60	240	142/10
DOF2500R	660	2500x1095x920	280	-18 to -22	25/60	240	200/10
DOF3750R	990	3750x1095x920	320	-18 to -22	25/60	240	297/10
DOF1955	465	1955x1095x990	140	-18 to -22	25/60	240	1540/10
DOF2580	660	2580x1095x990	200	-18 to -22	25/60	240	2070/10




Right Angle Fresh Food Cabinet

PRODUCT FEATURES

-  Open service counter
-  Intelligent temperature controller
-  Famous brand compressor
-  Stainless steel shelves and back plate
-  Energy saving and high efficiency
-  Optimised height and display design
-  Surrounding air-cooling to maintain temperature
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
ZOS1320	156	1320x1180x900	100	-2 to +5	25/60	240	780/10
ZOS1945	234	1945x1180x900	140	-2 to +5	25/60	240	780/10
ZOS2570	312	2570x1180x900	200	-2 to +5	25/60	240	890/10
ZOS3820	468	3820x1180x900	340	-2 to +5	25/60	240	1660/10
ZOS1525W	190	1525x1525x900	190	-2 to +5	25/60	240	780/10




Fruit Service Counter

PRODUCT FEATURES

-  Open service counter
-  Intelligent temperature controller
-  Famous brand compressor
-  Stainless steel shelves
-  Energy saving and high efficiency
-  Surrounding air cooling to maintain temperature
-  Auto defrost
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
COS1322	400	1322x1160x977	100	-2 to +5	25/60	240	640/10
COS1947	530	1947x1160x977	167	-2 to +5	25/60	240	640/10
COS2572	800	2572x1160x977	188	-2 to +5	25/60	240	830/10
COS3822	1060	3822x1160x977	297	-2 to +5	25/60	240	1292/10




Plug-In Dual Temperature System Cabinet

PRODUCT FEATURES

-  Double cooling system
-  Energy saving and high efficiency
-  Intelligent temperature controller
-  Auto defrost
-  Famous brand compressor
-  Surrounding air-cooling to maintain temperature
-  Top glass cover available
-  RAL colour choices

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
FCOS1570	240	1570x1070x910	130	0 to -18 / ≤-18	25/60	240	612/10
FCOS2070	310	2070x1070x930	160	0 to -18 / ≤-18	25/60	240	670/10
FCOS2570	392	2570x1070x930	180	0 to -18 / ≤-18	25/60	240	790/10




Classic Deli Cabinet

PRODUCT FEATURES


-  Stainless steel shelves and back plate
-  Energy saving and high efficiency
-  Optimised height and display design
-  Auto defrost
-  Famous brand compressor
-  Up-down and sliding front door
-  Internal LED lighting
-  -2~-2° options

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DMA-1350	156	1350x1150x1200	100	0 to +5	25/60	240	350/10
DMA-1975	234	1975x1150x1200	140	0 to +5	25/60	240	600/10
DMA-2600	312	2600x1150x1200	200	0 to +5	25/60	240	660/10
DMA-3850	468	3850x1150x1200	290	0 to +5	25/60	240	900/10




Deluxe Deli Cabinet

PRODUCT FEATURES

-  Stainless steel shelves and back plate
-  Energy saving and high efficiency
-  Full glass side panel
-  Auto defrost
-  Famous brand compressor
-  Up-down and sliding front door
-  Internal LED lighting
-  -2~-2° options

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DMX-1410	156	1410x1150x1200	100	0 to +5	25/60	240	350/10
DMX-2035	234	2035x1150x1200	140	0 to +5	25/60	240	600/10
DMX-2660	312	2660x1150x1200	200	0 to +5	25/60	240	660/10
DMX-3910	468	3910x1150x1200	290	0 to +5	25/60	240	900/10



Right Angle Deli Cabinet

PRODUCT FEATURES



Stainless steel shelves and back plate



Energy saving and high efficiency



Full transparent window on all sides



Auto defrost



Famous brand compressor



Up-down and sliding front door




Internal LED lighting




-2~-2° options

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DMS-1320	156	1320x1180x1222	100	0 to +5	25/60	240	350
DMS-1945	245	1945x1180x1222	140	0 to +5	25/60	240	600
DMS-2570	326	2570x1180x1222	200	0 to +5	25/60	240	660
DMS-3820	468	3820x1180x1222	340	0 to +5	25/60	240	900



Serve Counter with Large Storage Room

PRODUCT FEATURES



Stainless steel shelves and back plate



Energy saving and high efficiency



Full transparent window on all sides



Auto defrost



Famous brand compressor



Surrounding air-cooling to maintain temperature




Internal LED lighting



-2~-2° options

SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DMS-1320S	156	1320x1180x1250	177	-2 to +2	25/60	240	598/10
DMS-1945S	234	1945x1180x1250	280	-2 to +2	25/60	240	637/10
DMS-2570S	312	2570x1180x1250	325	-2 to +2	25/60	240	764/10
DMS-3820S	468	3820x1180x1250	560	-2 to +2	25/60	240	970/10



E Series Deli Cabinet

PRODUCT FEATURES



Stainless steel shelves and back plate



Energy saving and high efficiency



Larger opening area



Full glass side panel



Famous brand compressor



Up-down and sliding front door




Internal LED lighting



-2~-2° options


SECTIONAL VIEW



PRODUCT SPECIFICATIONS

Code	Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temperature Range	Ambient/ RH%	Voltage	Power (W/A)
DME-1350	205	1350x1170x1300	100	0 to +5	25/60	240	440/10
DME-1975	308	1975x1170x1300	180	0 to +5	25/60	240	500/10
DME-2600	410	2600x1170x1300	200	0 to +5	25/60	240	700/10
DME-3850	615	3850x1170x1300	290	0 to +5	25/60	240	1000/10





Trolleys 4 U Pty Ltd (Trading As)
Australian Retail Products

ABN: 87 658 050 205

Warehouse Location:

9 Huntsmore Road, Minto, Sydney, NSW 2566 AUSTRALIA

Postal: PO BOX 128, Minto, Sydney, NSW 2566 AUSTRALIA

 1300 551 630 | International: +61 2 9426 8400

 retail@arp.com.au

 arp.com.au

**SUPERMARKET
CATALOGUE**

 www.arp.com.au